

Safety Data Sheet

Formula No: 2551.20
Revision Date: 2017/10/24
Superseded Date: 2017/04/04

Mirachem QX-495 Paint Stripper (Use Dilution)

1. IDENTIFICATION OF SUBSTANCE / PREPARATION AND OF THE COMPANY

Product name: Mirachem QX-495 Paint Stripper (Use Dilution)

Identified uses: Use dilution of industrial cleaner for use in industrial parts washers.

Use restrictions: Use only for the purposes indicated on the label.

Company: Mirachem, LLC

P.O. Box 14059

Phoenix, Arizona 85063-4059

USA

Email address: SDS@mirachem.com

Customer service: USA (English) Telephone: 1 (800) 847-3527

Emergency phone number(s): USA (English, Business Hours) Telephone: 1 (800) 847-3527

Chemtrec (US, 24 hours) Telephone: 1 (800) 424-9300

2. HAZARD(S) IDENTIFICATION

GHS ClassificationSKIN CORROSION / IRRITATION:Category 3EYE DAMAGE / IRRITATION:Category 2AACUTE AQUATIC HAZARD:Category 3

GHS Label Elements
Pictogram

Signal word

Hazard statements Causes mild skin irritation. (H316)

Warning

Causes serious eye irritation (H319)

Harmful to aquatic life. (H402)

Precautionary Statements

Prevention: Wear protective gloves/eye protection. (P280)

Avoid release to the environment. (P273)

Response: If skin irritation occurs: Get medical advice/attention. (P332 + P313)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. (P305 + P351 + P338) If eye irritation

persists: get medical advice/attention. (P337 + P313)

Storage: None required.

Disposal: Dispose of contents/container in accordance with local/regional/national/international

regulations. (P501) See SECTION 13 - DISPOSAL CONSIDERATIONS, for additional

Revision Date:

Page

2017/10/24

1 of 7

waste disposal information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization: Mixture

 Ingredient:
 CAS Number
 Percent

 Phenylcarbinol
 100-51-6
 <20%</td>

 Anionic surfactant*
 Proprietary
 <10%</td>

 N,N-dimethyl 9-decinamide
 1356964-77-6
 <2%</td>

4. FIRST AID MEASURES

Protection of First-Aiders: First aid responders should pay attention to self-protection and use the recommended

protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to SECTION 8 – EXPOSURE CONTROLS / PERSONAL

PROTECTION, for specific personal protective equipment.

Inhalation: No adverse effects are anticipated. Remove to fresh air. If breathing is difficult, get

medical assistance.

Eye contact: May cause serious eye damage. Immediately rinse with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately seek

medical attention.

Ingestion: If swallowed, treat symptomatically and supportively. Wash out mouth with water. Do

not induce vomiting unless directed to do so by medical personnel. If adverse health effects develop, persist or are severe, seek medical attention if you feel unwell. Never

give anything by mouth to an unconscious person.

Skin contact: Prolonged or repeated exposure may cause skin irritation. If on skin, wash with plenty

of water. If feeling unwell or irritation develops or persists, get medical attention. Take

off contaminated clothing and wash it before reuse.

Symptoms and effects, both acute

and delayed:

Aside from the information provided above and below, no additional symptoms and

effects are anticipated.

Notes to physician: No specific antidote. Treatment of exposure should be directed at the control of

symptoms and the clinical condition of the patient. Skin contact may aggravate pre-

existing dermatitis.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire

extinguishers. Foam. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be

less effective. Do not use direct water stream. May spread fire.

Unusual fire and explosion hazards: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition

products:

Decomposition products may include the following materials; carbon dioxide, carbon

monoxide, nitrogen oxides.

Special precautions for fire fighters: Promptly isolate the scene by removing all persons from the vicinity of the incident if

there is a fire. No action shall be taken involving personal risk or without suitable

training.

Special protective equipment for

fire fighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Mirachem QX-495 Paint Stripper (Use Dilution) Formula Number 2551.20

Revision Date: 2017/10/24

Page 2 of 7

^{*} Composition of this ingredient is a trade secret.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency

procedures:

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Spilled material may cause a slipping hazard. Use appropriate safety equipment. For additional information, refer to SECTION 8 - EXPOSURE CONTROLS AND

PERSONAL PROTECTION. Refer to SECTION 7 - HANDLING AND STORAGE, for

additional precautionary measures.

Environmental precautions: Prevent from entering into soil, ditches, sewers, waterways and/or ground water. See

SECTION 12 – ECOLOGICAL INFORMATION for additional information.

Methods for cleaning up: Contain spilled material; keep from entering soil, surface waters or sewers.

Small Spills: Clean up with absorbent and collect absorbent for disposal in accordance

with Federal, State or local disposal requirements.

Large Spills: Dike or otherwise contain spilled material to insure runoff does not reach a waterway. Collect and drum off material for disposal in accordance with Federal, State or local disposal requirements. Notify local, state or federal authorities if required. Rinse with water. See SECTION 13 – DISPOSAL CONSIDERATIONS and SECTION 15 –

REGULATORY REQUIREMENTS for additional information.

7. HANDLING AND STORAGE

Precautions for safe handling: Avoid contact with skin and eyes. Avoid breathing spray or mist. Wash hands

thoroughly after handling. Keep container closed. Promptly clean up spills. See SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION for additional

information.

Conditions for safe storage, including incompatibilities:

Use this dilution at temperatures of ambient to 150°F in approved parts washing equipment. Keep equipment lid closed and equipment unheated when not in use. Store

diluted material in clean plastic (polyethylene) container (drum). Keep storage

containers tightly closed. Protect from freezing; may rupture or degrade product. Store

between 40°F (4°C) and 110°F (43°C). Keep out of reach of children.

Recommended packaging

materials:

Use original container or clean plastic (polyethylene) containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters: None established.

Engineering controls: Good ventilation should be sufficient to control worker exposure to airborne

contaminants. Provide additional ventilation as necessary to keep airborne

concentrations of vapors/mists below threshold limit values. Provide eye wash station

within close proximity to product usage.

Eye/Face protection: Safety glasses with side shields (or chemical goggles) and face shield (if splashing is

likely) to prevent eye and face exposure.

Skin protection: Wear protective gloves/protective clothing as needed to prevent excessive skin contact.

Where diluted product is heated to >140°F, wear thermal protective gloves.

Hand protection: Wear chemical resistant, impermeable gloves (nitrile, vinyl or latex of 4 mil thickness or

greater) as needed to prevent skin contact. Where diluted product is heated to >140°F,

wear thermal protective gloves.

Respiratory protection: Under intended handling conditions, no respiratory protection is needed.

Personal hygiene: Use good personal hygiene. Do not consume or store food in the work area. Wash

hands before smoking or eating.

Mirachem QX-495 Paint Stripper (Use Dilution) Formula Number 2551.20

Revision Date: 2017/10/24

Page 3 of 7

PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, light amber liquid Vapor pressure @ 20°C 0.00034 mm Hg*

> Not established @ 37°C

> > Not established

Not established

Not established

< 100 cSt

1.01 g/cm³

Odor: Weak aromatic Vapor density (air = 1) Not established Odor threshold: Not available Relative density: Not established Solubility in water: Miscible

pH: 7.0

Melting point: Not applicable to liquids

Freezing point: 32°F (4°C) Initial boiling point: Not established **Evaporation rate:** Not established Flash point: Not established Flammability: Not classified

VOC** 142 g/l (1.24 lb./gal)

Partition coefficient:

Viscosity @ 20°C:

Liquid density @ 20°C:

Auto-ignition temperature:

Decomposition temperature:

Flammable limits in air: Not established

Absolute (calculated)

The VOC in this product has a vapor pressure of less than 0.1 mm Hq. Under many jurisdictions, this is classified as a low vapor pressure VOC. This material is not listed as a "Hazardous Air Pollutant (HAP)" under the Clean Air Act (CAA) list of volatile or organic hazardous air pollutants.

10. STABILITY AND REACTIVITY

Chemical stability & reactivity: The product is stable.

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to avoid: No specific data.

Incompatible materials: Avoid contact with strong acids, strong bases or strong oxidizers.

Hazardous decomposition Under normal conditions of storage and use, hazardous decomposition products should

not be produced. Upon decomposition, this product may yield oxides of nitrogen and products:

ammonia, carbon dioxide, carbon monoxide and other low molecular weight

hydrocarbons.

11. TOXICOLOGICAL INFORMATION

The GHS health hazard classifications have been estimated based on the hazards of the individual components.							
Likely routes of exposure:	Inhalation	Skin contact	Х	Eye contact	Х	Ingestion _	

Acute Toxicity:

Oral: Not Classified LD₅₀ ATE_{mix} > 500 but < 2500 Dermal: Not Classified LD₅₀ ATE_{mix} > 1100 but < 2500

Inhalation: No relevant data available.

Other routes: Not applicable.

Skin corrosion/irritation: May be irritating to skin. Serious eye damage/irritation: Causes serious eye irritation.

Skin sensitization: Does not meet the requirements for classification.

Respiratory sensitizer: No relevant data available.

Chronic Toxicity:

Mutagenicity: No component in this mixture is known to be a mutagen or genotoxin. Carcinogenicity: No component of this mixture is listed by IARC, NTP, OSHA or ACGIH as a

carcinogen.

No component in this mixture is known to be a teratogen. Teratogenicity:

Developmental / Fertility effects: No known significant effects or critical hazards.

Specific Target Organ Toxicity (STOT) No relevant data available. Single dose:

Repeat exposure: No relevant data available

Aspiration hazard: No relevant data available.

Mirachem QX-495 Paint Stripper (Use Dilution)

Revision Date: 2017/10/24 Formula Number 2551.20 Page 4 of 7

12. ECOLOGICAL INFORMATION

The GHS health hazard classifications have been estimated based on the hazards of the individual components.

Toxicity:

Acute Aquatic Toxicity Fish Category 3 LC₅₀ ATE_{mix} > 10 but < 100 mg/l Crustacea Category 3 EC₅₀ ATE_{mix} > 10 but < 100 mg/l

Algae Category 3 ErC_{50} ATE_{mix} > 10 but < 100 mg/l

Chronic Aquatic Toxicity No relevant data.

Persistence and degradability: The individual components of this mixture are readily biodegradable.

Bioaccumulative potential: No relevant data available. Mobility in soil: No relevant data available.

13. DISPOSAL CONSIDERATIONS

The generation of waste should be avoided or minimized wherever possible. Empty containers may retain some product residues. Rinse container before disposal. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff with soil and waterways.

RCRA Classification: Unused disposed material is *not* a RCRA Hazardous Waste.

Note: Chemical additions to, processing of, or otherwise altering this material may make this waste management information incomplete, inaccurate, or otherwise inappropriate. Furthermore, State and local waste disposal requirements may be more restrictive or otherwise different from Federal laws and regulations.

14. TRANSPORT INFORMATION

UN Number: N/A Transportation Hazard Class: N/A UN Proper Shipping Name: N/A UN Packing Group: N/A None

ADR (EU Carriage): Not regulated RID (Rail) Not regulated AND/ADNR (Inland water): Not regulated ICAO/IATA (Air) Not regulated

IMO/IMDG (Marine): Not regulated

DOT Shipping Name: Non-regulated DOT Hazard Classification: N/A

NMFC Freight Class: Cleaning Compound NOI, 48580, Sub 3, Class 55

HS Tariff Classification: 3402.90.5030

(Schedule B)

Special Precautions: No known special precautions.

Mirachem QX-495 Paint Stripper (Use Dilution) Formula Number 2551.20

Revision Date: 2017/10/24

Page 5 of 7

15. REGULATORY INFORMATION

US Federal Regulations

SARA Title III

Substances

Section 302 – Extremely Hazardous Substance

This product does not contain chemicals at levels which require reporting under this statue.

Section 302.4 & 304: CERCLA: Hazardous

Releases of this product to air, land, or water are not reportable to the National Response Center under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) or to state and local emergency planning committees under the Superfund

Amendments and Reauthorization Act (SARA) Title III Section 304.

Sections 311 & 312 Immediate (acute) Health Hazard Yes

Delayed (chronic) Health Hazard

Fire Hazard

Reactive Hazard

No
Sudden Release of Pressure

No

Section 313 This product does not contain chemicals at levels which require reporting under this statue.

TSCA All chemical substances in this material are included on or exempted from listing on the TSCA

Inventory of Chemical Substances.

US State Regulations

Vermont

California California Safe Drinking Water This product does not contain any materials currently listed

and Toxic Enforcement Act by California as chemicals known to cause cancer or known (Proposition 65) to have reproductive toxicity under Proposition 65.

Delaware Air Quality Management List This product does not contain any materials currently listed.

List of Chemicals and RQs

This product does not contain any materials currently listed.

Illinois Toxic Air Contaminants List This product does not contain any materials currently listed.

Massachusetts Substances List This product contains a material on this list.

Phenylcarbinol (CAS No. 100-51-6)

Hazard Code: 6

Michigan Critical Materials

Minnesota Hazardous Substances List

New Jersey RTK Hazardous Substances List

TCPA EHS List

Ambient Air Standards

New York List of Hazardous Substances

Pennsylvania Hazardous Substances List

This product does not contain any materials currently listed. This product does not contain any materials currently listed.

Revision Date:

Page

2017/10/24

6 of 7

This product does not contain any materials currently listed.

This product does not contain any materials currently listed.

This product does not contain any materials currently listed.

This product contains a material on this list. Phenylcarbinol (CAS No. 100-51-6)

Hazard Code: None listed.

Hazard Code: None listed.

Hazardous Air Containment This product contains a material on this list:

Phenylcarbinol (CAS No. 100-51-6)

HAAS (µg/m3): 105 Action Level (lb./8-hr): 5.5

Category: III

International Regulatory Information

Notice: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warrantee, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with their Federal, State/Province, and local laws. The following specific information is made for the purpose of complying with numerous specific foreign regulations.

Country Substance (Chemical) Inventories

Canada

DSL

All components of this formulation are currently listed on the DSL list.

16. OTHER INFORMATION

Special

HMIS Rating: Health 1 Flammability 0 Physical Hazards 0 Protective Equipment NFPA Rating: Health 1 Flammability 0 Reactivity 0

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Mirachem shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current status of scientific and technical knowledge.

Original Preparation Date: April 4, 2017 Latest Revision Date: October 24, 2017

Mirachem QX-495 Paint Stripper (Use Dilution) Formula Number 2551.20

Revision Date: 2017/10/24 Page 7 of 7